
GENESIS®
The Promise of Performance.

GXT 2555R Mobile Shear

PARTS MANUAL



Genesis Attachments | 1000 Genesis Drive, Superior, WI 54880 | PH: 715-395-5252 | genesisattachments.com

An NPK Company

CONTACT INFORMATION

Genesis Attachments

1000 Genesis Drive
Superior, WI 54880 USA

Toll Free: 888-SHEAR-IT
(888-743-2748)

Phone: 715.395.5252

E-mail:
info@genesisattachments.com

Europe/Africa/Middle East
Genesis GmbH

Teramostrasse 23
87700 Memmingen, Germany

Phone: +49 83 31 9 25 98 0
Fax: +49 83 31 9 25 98 80
genesis-europe.com

E-mail:
info@genesis-europe.com

Asia Pacific Representative Office

24 Upper Serangoon View #12-28
Singapore 534205

Phone: +65 9673 9730

E-mail:
tchoo@genesisattachments.com

Central America & Colombia

Cra 13A #89-38 / Ofi 613
Bogota, Colombia

Phone: +57 1 610 8160 / 795 8747

E-mail:
contact@themsagroup.com

View and download all manuals: genesisattachments.com/manuals
Patents: genesisattachments.com/products/patents


© 2026 Genesis Attachments, LLC


TABLE OF CONTENTS

CONTACT INFORMATION 2
GENERAL ARRANGEMENT 4
ASSEMBLY PIVOT GROUP - RIGHT SIDE 6
ASSEMBLY PIVOT GROUP - LEFT SIDE 8
ASSEMBLY LOWER BLADES 10
ASSEMBLY UPPER BLADES 12
ASSEMBLY AUTO GUIDE 14
ASSEMBLY CYLINDER PINS 16
ASSEMBLY ACCESS COVERS 18
ASSEMBLY ROTATION - PISTON MOTOR 20
ASSEMBLY ROTATION - MOTOR AND VALVE DRAIN LINES 22
ASSEMBLY ROTATION - VALVE TO VALVE PLUMBING 24
ASSEMBLY ROTATION - MOTOR MANIFOLD 26
ASSEMBLY LINE MOUNT MANIFOLD 28
ASSEMBLY ROTATION - GREASE SYSTEM PLUMBING 30
ASSEMBLY OPEN AND CLOSE CIRCUIT 32
ASSEMBLY PORT BLOCK 34
ASSEMBLY SWIVEL MANIFOLD 36
REGEN BLOCK SUB-ASSEMBLY - 6360024 38
ASSEMBLY SWIVEL MANIFOLD CONFIGURATIONS 40
BOLT TORQUE SPECIFICATIONS 41
THREAD TREATMENT DIAGRAM 42
Mobile Shears 42
PROCEDURES 43
Cleaning 43
Threadlocker 43
Anti-Seize 44
No Thread Treatment 44
BOLT TORQUE SPECIFICATIONS 45
Dry Torque Values 45
Wet Torque Values 45
O-RING BOSS & FLAT FACE O-RING TORQUE SPECIFICATIONS 46
BOLT DRIVE SPECIFICATIONS 47
WARRANTY CLAIM PROCEDURE 48
Claim Procedure 48
Blade Warranty 48
PARTS ORDER POLICY AND PROCEDURE 49
Parts Orders Should Include 49
Placing Orders 49
Part Numbers 49
Shipping 49
Invoices 49
Returns 49
Warranty Returns 49
PARTS ORDER FORM 50
INDEX 51
CONTACT INFORMATION 53

© 2026 Genesis Attachments, LLC


GENERAL ARRANGEMENT





Wtmg Lug Upper Head
Part Number is Serial Number specific. For replacement parts call the Genesis Parts Department.

USA	Europe
715-395-3488	+49 83 31 9 25 98 0



Serial Number Location
Facing the left side of shear, lower right corner.

© 2026 Genesis Attachments, LLC

GENERAL ARRANGEMENT

ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	1107699	Wtmg Stick
2	1	1107632	Wtmg Upper
3		*	Wtmg Lug Upper Head
4		See page 6	Assembly Pivot Group - Right Side
5		See page 8	Assembly Pivot Group - Left Side
6		See page 10	Assembly Lower Blades
7		See page 12	Assembly Upper Blades
8		See page 14	Assembly Auto Guide
9		See page 16	Assembly Cylinder Pins
10		See page 18	Assembly Access Covers
11		See page 20	Assembly Rotation - Piston Motor
12		See page 22	Assembly Rotation - Motor and Valve Drain Lines
13		See page 24	Assembly Rotation - Valve to Valve Plumbing
14		See page 26	Assembly Rotation - Motor Manifold
15		See page 28	Assembly Line Mount Manifold
16		See page 30	Assembly Rotation - Grease System Plumbling
17		See page 32	Assembly Open and Close Circuit
18		See page 34	Assembly Port Block
19		See page 36	Assembly Swivel Manifold
20		See page 38	Regen Block Sub-Assembly


* Part number is Serial Number specific. For replacement parts call the Genesis Parts Department.

USA
715-395-3488

Europe
+49 83 31 9 25 98

© 2026 Genesis Attachments, LLC

ASSEMBLY PIVOT GROUP - RIGHT SIDE




© 2026 Genesis Attachments, LLC

ASSEMBLY PIVOT GROUP - RIGHT SIDE

ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	1107657	Mach Bearing
2	2	F0412035	Flat Head Capscrew M12 x 1.75 x 35
3	1	1104048	Mach Thrust Washer
4	1	1104049	Shim Set Thrust Washer
5	1	1104075	Mach End Cap
6	2	6200002	Grease Fitting
7	10	F1202444	Flat Washer M24
8	10	F0624080	Socket Head Capscrew M24
9	6	F1201224	Flat Washer M12
10	6	F0612050	Socket Head Capscrew M12
11	1	1107700	Mach Tie Rod
12	1	S0190357	O-Ring
13	1	1104081	Mach Tie Rod Nut
14	4	F0616050	Socket Head Capscrew M16 x 2.00 x 50
15	4	F1201630	Flat Washer M16

© 2026 Genesis Attachments, LLC

ASSEMBLY PIVOT GROUP - LEFT SIDE



© 2026 Genesis Attachments, LLC

ASSEMBLY PIVOT GROUP - LEFT SIDE

ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	*	Mach Main Shaft
2	1	1107658	Mach Bearing
3	2	F0412035	Flat Head Capscrew M12
4	1	1104048	Mach Thrust Washer
5	1	1104049	Shim Set Thrust Washer
6	2	6200002	Grease Fitting
7	1	1104075	Mach End Cap
8	6	F1201224	Flat Washer M12
9	6	F0612050	Socket Head Capscrew M12 x 1.75 x 45
10	10	F1202444	Flat Washer M24
11	10	F0624080	Socket Head Capscrew M24
12	1	S0190357	O-Ring
13	1	1104081	Mach Tie Rod Nut
14	4	F0616050	Socket Head Capscrew M16 x 2.00 x 50
15	4	F1201630	Flat Washer M16


* Part number is Serial Number specific. For replacement parts call the Genesis Parts Department.

USA
715-395-3488

Europe
+49 83 31 9 25 98

© 2026 Genesis Attachments, LLC

ASSEMBLY LOWER BLADES




© 2026 Genesis Attachments, LLC

ASSEMBLY LOWER BLADES

ITEM	QTY	PART NUMBER	DESCRIPTION
1	2	1107967	Mach Blade
2	2	1107629	Mach Guide Blade
3	1	1107630	Mach Blade Razor
4	1	1107860	Mach Adj Plate Primary
5	1	1107862	Mach Adj Plate Secondary
6	1	1107742	Mach Adj Plate Guide Blade
7	1	1107744	Mach Adj Plate Guide Blade
8	8	F0513700	Flat Head Capscrew 1¼ - 7 x 7
9	4	F0213700	Hex Head Capscrew 1¼ - 7 x 7
10	16	F1300125	Flat Washer 1¼"
11	2	F0210300	Hex Head Capscrew 1-8 x 3
12	8	F0912507	Hex Nut 1¼ - 7
13	2	F2510100	Set Screw Socket Head 1-8 x 1
14	4	F0213575	Hex Head Capscrew 1¼ - 7 x 5¾
15	2	F1300100	Flat Washer 1"
16		1107858	Shim Set Blade
17		1107660	Shim Set Guide Blade

© 2026 Genesis Attachments, LLC

ASSEMBLY UPPER BLADES




© 2026 Genesis Attachments, LLC

ASSEMBLY UPPER BLADES

ITEM	QTY	PART NUMBER	DESCRIPTION
1	2	1107967	Mach Blade
2	1	1107625	Mach Blade Tip Left
3	1	1107624	Mach Blade Tip Right
4	8	F0513800	Flat Head Capscrew 1¼ - 7 x 8
5	8	F0712700	Socket Head Capscrew 1¼ - 7 x 7
6	8	F0912507	Hex Nut 1¼ - 7
7	8	F1300125	Flat Washer Narrow 1¼

© 2026 Genesis Attachments, LLC

ASSEMBLY AUTO GUIDE



© 2026 Genesis Attachments, LLC

ASSEMBLY AUTO GUIDE

ITEM	QTY	PART NUMBER	DESCRIPTION
1	2	F0210700	Hex Head Capscrew 1 - 8 x 7
2	2	F1300100	Flat Washer Narrow 1”
3	1	*	Mach Auto Guide
4	1	6200002	Grease Fitting
5		1106478	Shim Set, Auto Guide


* Part number is Serial Number specific. For replacement parts call the Genesis Parts Department.

USA
715-395-3488

Europe
+49 83 31 9 25 98

© 2026 Genesis Attachments, LLC

ASSEMBLY CYLINDER PINS




© 2026 Genesis Attachments, LLC

ASSEMBLY CYLINDER PINS

ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	1107698	Mach Pin Rear
2	1	1104088	Mach Pin Keeper
3	1	F0624280	Socket Head Capscrew M24 x 3.00 x 280
4	1	F0824300	Hex Nut M24 x 3.00
5	1	1107158	Wldt Front Cylinder Pin
6	1	1107165	Mach Bearing Upper Cylinder
7	1	1102487	Mach Pin Keeper
8	1	F0620130	Socket Head Capscrew M20 x 2.50 x 130
9	1	F1020250	Nylock Nut M20 x 2.50
10	2	6200002	Grease Fitting

© 2026 Genesis Attachments, LLC

ASSEMBLY ACCESS COVERS




© 2026 Genesis Attachments, LLC

ASSEMBLY ACCESS COVERS

ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	1107704	Wldt Cover
2	1	1107838	Plt Rear Cover
3	6	1105854	Mach Shoulder Bolt
4	6	6301112	O-Ring
5	2	F0112030	Hex Head Capscrew M12 x 1.75 x 30
6	2	F1201224	Flat Washer M12

© 2026 Genesis Attachments, LLC

ASSEMBLY ROTATION - PISTON MOTOR




© 2026 Genesis Attachments, LLC

ASSEMBLY ROTATION - PISTON MOTOR

ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	6301223	Bearing Slewing
2	80	F0215800	Hex Head Capscrew 1½ - 6 x 8
3	80	F2803900	Hytorc Washer M39
4	2	6360027	Gearbox
5	16	F0120060	Hex Head Capscrew M20 x 2.5 x 60
6	16	F1900075	Washer Nord-Lock ¾ and M20 Steel
7	2	S0190250	O-Ring
8	8	F0250150	Hex Head Capscrew ½ - 13 x 1½
9	8	F1900050	Washer Nord-Lock ½ and M20 Steel
10	2	6360045	Piston Motor
11	4	S0190219	O-Ring

© 2026 Genesis Attachments, LLC

ASSEMBLY ROTATION - MOTOR AND VALVE DRAIN LINES




© 2026 Genesis Attachments, LLC

ASSEMBLY ROTATION - MOTOR AND VALVE DRAIN LINES

ITEM	QTY	PART NUMBER	DESCRIPTION
1	2	See page 20	Piston Motor
2	2	See page 26	Motor Manifold
3	1	6310059	Adaptor 10MB-08MO
4	1	6310188	Adaptor Run Tee 08MFS-10MORB-08MFS
5	2	6300017	Adaptor 08MB-08MO
6	1	6300406	Adaptor Run Tee 08MFS-08F0X-08MFS
7	1	6310185	Adaptor Run Tee 12MFS-12MFS-12MFS BLKHD
8	1	1107299	Hose
9	1	1107300	Hose
10	1	1107297	Hose
11	1	1107298	Hose

© 2026 Genesis Attachments, LLC

ASSEMBLY ROTATION - VALVE TO VALVE PLUMBING




© 2026 Genesis Attachments, LLC

ASSEMBLY ROTATION - VALVE TO VALVE PLUMBING

ITEM	QTY	PART NUMBER	DESCRIPTION
1	2	See page 26	Motor Manifold
2	2	See page 28	Line Mount Manifold
3	5	6300441	Adaptor 12MB-12MO
4	2	6310184	Adaptor Run Tee 12MFS-12MORB-12MFS
5	1	1104962	Adaptor 12MB-12MO-90
6	2	1107296	Hose
7	2	1108958	Hose
8	2	1108959	Hose
9	1	1108954	Mach Mounting Plate
10	1	6360100	Counterbalance Valve Assembly
11	2	F0110070	Hex Head Capscrew M10 x 1.5
12	2	F1900040	Washer 10mm Steel

© 2026 Genesis Attachments, LLC

ASSEMBLY ROTATION - MOTOR MANIFOLD




© 2026 Genesis Attachments, LLC

ASSEMBLY ROTATION - MOTOR MANIFOLD

ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	6360144	Motor Manifold
2	8	F0744400	Socket Head Capscrew 7/16 - 14 x 4
3	2	6380002	Check Valve
4	2	6360101	Relief Valve
5	2	6301253	Cavity Plug
6	2	6300014	Diagnostic Nipple 06MB
7	2	6310001	Diagnostic Nipple Dust Cap

© 2026 Genesis Attachments, LLC

ASSEMBLY LINE MOUNT MANIFOLD




© 2026 Genesis Attachments, LLC

ASSEMBLY LINE MOUNT MANIFOLD

ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	6300748	Manifold
2	1	6300749	Flow Control Valve
3	1	6300582	Plug 04MP
4	2	6300746	Adaptor 20MB-12FB
5	1	6301211	Filter
6	1	6310186	Adaptor 12MFS-12MO BLKHD

© 2026 Genesis Attachments, LLC

ASSEMBLY ROTATION - GREASE SYSTEM PLUMBING




© 2026 Genesis Attachments, LLC


ASSEMBLY ROTATION - GREASE SYSTEM PLUMBING

ITEM	QTY	PART NUMBER	DESCRIPTION
1	2	5512419	Mach Slewing Ring Grease Adaptor
2	2	F0610035	Socket Head Capscrew M10 x 1.50 x 35
3	4	6300731	Adaptor 02MP-04MO
4	2	5512411	Mach Grease Bulkhead Adaptor
5	2	F0610025	Socket Head Capscrew M10 x 1.50 x 25
6	2	6200002	Grease Fitting
7	2	1107301	Hose

© 2026 Genesis Attachments, LLC

ASSEMBLY OPEN AND CLOSE CIRCUIT





Note:
Item 10 is tied together with 0.032” lock wire.


© 2026 Genesis Attachments, LLC

ASSEMBLY OPEN AND CLOSE CIRCUIT

ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	6350111	Assembly Cylinder B20.0 R13.0 S63.0
2	1	See page 38	Assembly Swivel Manifold
3	8	**2" Split Flange Kit**	
	2	H0662200	Split Flange Half 2.00 Code 62
	4	F0120070	Hex Head Capscrew M20-2.5 x 70
	4	F1402000	Lock Washer M20
	1	S0190228	O-Ring
4	1	6360024	Valve Regen
5	1	1107152	Mach Valve Tray
6	4	F0116040	Hex Head Capscrew M16-2.0 x 40
7	4	F1900063	Washer Nord-Lock ⅝ and M16 Steel
8	2	F0616035	Socket Head Capscrew M16-2.0 x 35
9	2	F1201630	Flat Washer M16
10	2	F3616040	Socket Head Shoulder Screw M16-2.0 x 40
11	1	1107703	Hose
12	2	1107701	Hose
13	1	1107702	Hose

© 2026 Genesis Attachments, LLC

ASSEMBLY PORT BLOCK




© 2026 Genesis Attachments, LLC

ASSEMBLY PORT BLOCK

ITEM	QTY	PART NUMBER	DESCRIPTION
1	2	1107290	Mach Port Block
2	8	S0190225	O-Ring
3	12	F0616170	Socket Head Capscrew M16 x 2.00 x 170
4	4	H0362150	Split Flange Plug
5	8	H0262150	Split Flange Half 1.50 Code 62
6	16	F1401628	Lock Washer M16
7	16	F0116060	Hex Head Capscrew M16 x 2.00 x 60
8	2	6300076	Plug Zero-Leak 04

© 2026 Genesis Attachments, LLC

ASSEMBLY SWIVEL MANIFOLD



© 2026 Genesis Attachments, LLC

ASSEMBLY SWIVEL MANIFOLD

ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	*	Assembly Swivel Manifold
2	4	F1900075	Wedge Lock Washer ¾
3	4	F0120320	Hex Head Capscrew M20 x 2.5 x 320
4	1	*	Torque Arm Kit


* Part numbers are Serial Number specific.
For replacement parts and seal kit, call the Genesis Parts Department.
The swivel Serial Number, located in one of the three highlighted areas, is required for **any** parts order.

USA
715-395-3488

Europe
+49 83 31 9 25 98 0

© 2026 Genesis Attachments, LLC

REGEN BLOCK SUB-ASSEMBLY - 6360024



© 2026 Genesis Attachments, LLC

REGEN BLOCK SUB-ASSEMBLY - 6360024


ITEM	QTY	PART NUMBER	DESCRIPTION	
1	1	6360024	Valve Regen	**Seal Kit SK00189**
2	2	6300623	Logic Valve	**Seal Kit 6300624**
3	1	6380011	Check Valve	**Seal Kit SK00023**
4	3	6300061	Pilot to Close Check Valve	**Seal Kit SK00024**
5	1	6300625	Pressure Reducing Valve	**Seal Kit 6300622**
6	1	6301200	Shuttle Valve	
7	1	6300903	Plug Pipe Orifice 01MP 1/16-27 NPT	
8	17	6300075	Plug Socket Head 02MB	
9	2	6300365	Diagnostic Nipple	
10	2	6310001	Diagnostic Nipple Dust Cap	
11	4	6300076	Plug Socket Head 04MB (Not Shown)	
12	12	6300078	Plug Socket Head 16MB (Not Shown)	

Your GXT 2555 mobile shear will contain one of two regens, Part Number 6360021 or 6360024. If the Mach Plt Frmd Valve Tray is under the regen, the shear contains regen 6360021. If the Mach Plt Frmd Valve Tray is on top of the regen, the shear contains regen 6360024.

© 2026 Genesis Attachments, LLC


ASSEMBLY SWIVEL MANIFOLD CONFIGURATIONS

Visual Quick Reference



Normal Configuration

Port and Torque Arm on the same side of spool



Reverse Configuration

Port and Torque Arm on opposite sides of spool

© 2026 Genesis Attachments, LLC

BOLT TORQUE SPECIFICATIONS

Reference the product Thread Treatment Diagrams on page 42 to determine whether to use wet or dry torque values for specific bolts.

Reference Procedures on page 43 for threadlocker or anti-seize application and bolt and bolt hole cleaning.

Prior to torquing, clean all bolt holes, bolts and nuts to remove dirt, grease and oil, and identify bolt type.

Never re-torque bolts that use Loctite. If a bolt becomes loose or damaged after the initial use when Loctite was applied and the bolt was torqued, the bolt must be replaced.

Never break tightened bolts loose with a torque wrench. Doing so may break the torque wrench or take it out of calibration.

Torque wrenches should be calibrated on an annual basis.

When using a torque multiplier with a torque wrench, incorrect settings will be multiplied by the ratio of the torque wrench.


Never use an impact driver on a torque multiplier.

© 2026 Genesis Attachments, LLC

THREAD TREATMENT DIAGRAM

Mobile Shears

Use this diagram to determine what thread treatment, if any, is required for each fastener.
For thread treatment application procedures, see page 43. For prescribed torque values, see page 45.



© 2026 Genesis Attachments, LLC

PROCEDURES

Reference the product Thread Treatment Diagrams on page 42 to determine which of the following procedures is required.

Cleaning

To ensure proper performance of thread treatment and accurate torque values, clean and degrease **all internal and external threads** prior to application of threadlocker, anti-seize or primer and before installation of hardware.

- Ensure both internal and external threads are free of dirt or debris.
- Use brake cleaner or similar cleaning solvent on all threads to remove any grease or oil.
- Allow threads to dry.

NOTICE

Failure to properly clean threads will cause threadlocker, primer, and/or anti-seize to not properly cure!


LOC

Threadlocker


For bolted connections requiring threadlocker, use **Loctite 263** or equivalent applied using the following procedure:

- Clean and degrease all threads.
- For thru holes or nuts, apply threadlocker to bolt threads.
- For blind holes, apply stripe of threadlocker along the length of the hole (applying to the bolt can cause escaping air to remove threadlocker as the bolt is inserted).
- Torque bolt to specified **Wet Torque Value**, see page 45.

Threadlocker



Blind Hole



For threaded hydraulic fitting connections, use **Loctite 5452** or equivalent thread sealant in conjunction with **Loctite 7471** primer using the following procedure:

- Clean and degrease all threads.
- Apply Loctite 7471 primer to both external and internal threads and allow to dry.
- Apply threadlocker to 360 degrees of the threads on the male fitting, ensuring adequate coverage.
- Assemble fitting per directions in operator's manual.
- For O-ring boss and flat face O-ring connections, torque fittings to values specified on page 46.

Hydraulic Fitting



© 2026 Genesis Attachments, LLC

PROCEDURES

LUB

Anti-Seize

For bolted connections requiring anti-seize lubrication, use **Loctite LB8008** or equivalent using the following procedure:

- Clean and degrease all threads.
- Apply thin coat of anti-seize to internal and external threads and under bolt head and/or nut, ensuring complete coverage.
- Torque bolt to specified **Wet Torque Value**, see page 45.

Anti-Seize



DRY

No Thread Treatment

- Clean and degrease all threads.
- Torque bolt to specified **Dry Torque Value**, see page 45.

© 2026 Genesis Attachments, LLC

BOLT TORQUE SPECIFICATIONS

Dry Torque Values

		Hex/Socket Head		Flat Head	
Fastener Grade	**Size x Pitch**	**Nm**	**Ft-lb**	**Nm**	**Ft-lb**
CL 10.9	M8 x 1.25	35	26	27	20
	M10 x 1.50	71	53	58	42
	M12 x 1.75	124	92	101	73
	M14 x 1.50	200	148	163	118
	M14 x 2.00	200	148	163	118
	M16 x 2.00	311	230	254	184
	M20 x 1.50	610	450	498	360
	M20 x 2.50	608	449	497	359
	M24 x 3.00	1054	778	861	622
	M27 x 3.00	1543	1138	1260	910
	M30 x 3.50	2095	1545	1712	1236
	M36 x 4.00	3659	2699	2991	2159
8	1/4-20	14	11	11	8
	5/16-18	32	24	26	19
	3/8-16	59	44	48	35
	7/16-14	94	70	77	56
	1/2-13	143	106	116	84
	1/2-20	162	120	133	96
	5/8-11	287	212	234	169
	3/4-10	509	376	415	300
	7/8-9	821	606	670	484
	1.00-8	1232	909	1007	727
	1.00-14	1383	1020	1130	816
	1.25-7	2463	1817	2013	1453
8/L9	1.50-6	4287	3162	3504	2529

Wet Torque Values

		Hex/Socket Head		Flat Head	
Fastener Grade	**Size x Pitch**	**Nm**	**Ft-lb**	**Nm**	**Ft-lb**
CL 10.9	M8 x 1.25	29	22	23	17
	M10 x 1.50	61	45	49	36
	M12 x 1.75	105	78	85	62
	M14 x 1.50	150	111	121	88
	M14 x 2.00	170	126	138	100
	M16 x 2.00	265	196	216	156
	M20 x 1.50	456	337	372	269
	M20 x 2.50	517	382	422	305
	M24 x 3.00	894	660	731	528
	M27 x 3.00	1312	968	1072	774
	M30 x 3.50	1779	1312	1453	1049
	M36 x 4.00	3110	2294	2542	1835
8	1/4-20	13	10	11	8
	5/16-18	27	20	22	16
	3/8-16	50	37	40	29
	7/16-14	80	59	65	47
	1/2-13	122	90	99	72
	1/2-20	138	102	112	81
	5/8-11	244	180	199	144
	3/4-10	433	320	354	256
	7/8-9	698	515	570	412
	1.00-8	1046	772	854	617
	1.00-14	1175	867	960	693
	1.25-7	2095	1545	1712	1236
8/L9	1.50-6	3644	2688	2979	2150

© 2026 Genesis Attachments, LLC

O-RING BOSS & FLAT FACE O-RING TORQUE SPECIFICATIONS

O-Ring Boss Torque Values		
Size Dash	**Nm**	**Ft-lb**
-4	22	16
-5	27	20
-6	36	26
-8	83	60
-10	110	80
-12	187	135
-14	249	180
-16	304	220
-20	387	280
-24	498	360

Flat Face O-Ring Torque Values		
Size Dash	**Nm**	**Ft-lb**
-4	18	13
-6	30	22
-8	60	44
-10	85	62
-12	121	88
-14	121	88
-16	160	116
-20	213	154
-24	274	198

© 2026 Genesis Attachments, LLC

BOLT DRIVE SPECIFICATIONS

Thread Size x Pitch	Hex Head 	Socket Head 	Flat Head 
	Wrench/Drive Size		
M8 x 1.25	13mm	6mm	5mm
M10 x 1.50	17mm	8mm	6mm
M12 x 1.75	19mm	10mm	8mm
M14 x 1.50	22mm	12mm	10mm
M14 x 2.00	22mm	12mm	10mm
M16 x 2.00	24mm	14mm	10mm
M20 x 1.50	30mm	17mm	12mm
M20 x 2.50	30mm	17mm	12mm
M24 x 3.00	36mm	19mm	14mm
M27 x 3.00	41mm	19mm	-
M30 x 3.50	46mm	22mm	-
M36 x 4.00	55mm	27mm	-
1/4-20	7/16"	3/16"	5/32"
5/16-18	1/2"	1/4"	3/16"
3/8-16	9/16"	5/16"	7/32"
7/16-14	5/8"	3/8"	1/4"
1/2-13	3/4"	3/8"	5/16"
1/2-20	3/4"	3/8"	5/16"
5/8-11	15/16"	1/2"	3/8"
3/4-10	1-1/8"	5/8"	1/2"
7/8-9	1-5/16"	3/4"	9/16"
1.00-8	1-1/2"	3/4"	5/8"
1.00-14	1-1/2"	3/4"	5/8"
1.25-7	1-7/8"	7/8"	7/8"
1.50-6	2-1/4"	1"	1"

© 2026 Genesis Attachments, LLC

WARRANTY CLAIM PROCEDURE

Claim Procedure

Notify the Genesis Service Department of the potential warranty claim prior to making the repair. Digital pictures are very helpful for diagnosing problems and recommending repairs.

Contact the Genesis Service Department before making alterations, changes or repairs to any component that is going to be considered for warranty. Not doing so will void all Genesis warranty consideration.

The Genesis Service Department will issue an authorization number to track the repair costs, outgoing parts, and/or defective parts returning to the factory.

Replacement parts must be ordered using a purchase order number. Shipping is standard ground. Overnight shipping is available by request, and Genesis will not cover the shipping charge.

When the repair is complete, submit an invoice to the Genesis Service Department within 30 days. Include itemized internal labor reporting, parts lists and invoices for outside contractors. Reference the authorization number on all invoices.

When returning parts for warranty consideration, include a copy of any related Genesis paperwork along with any other necessary documentation to ensure proper processing and credit. The Genesis Service Department will provide the necessary forms.

Your account will be credited when the warranty claim is accepted.

Blade Warranty

Standard warranty on blades will only be considered on the first edge, and wear on the edge must be 1/8” radius or less. Genesis does not warranty cutting blades that are cracked or broken from top to bottom (perpendicular to the long edge of the blade). Genesis also does not cover fasteners, the labor to replace wear components or collateral damage, such as blade seats, from broken blades, the piercing blade tang or adjustment plates.

Please direct any questions to the Genesis Service Department: 715-395-5252

© 2026 Genesis Attachments, LLC

PARTS ORDER POLICY AND PROCEDURE

Parts Orders Should Include

- Purchase order number
- Model and serial number of attachment
- Part number and quantity needed
- Shipping and billing address
- Method of shipment or required delivery date

Placing Orders

Orders may be placed by phone or e-mail. To e-mail an order, use the form on the following page or your purchase order form. Contact information is located at the front of this manual.

Part Numbers

Part numbers are listed in a separate Parts Manual or, if included, the Parts section of this manual. Contact the Genesis Parts Department with questions regarding part numbers, availability and pricing.

Shipping

All orders will be shipped best way surface unless an alternate shipping method is requested. Shipping charges are not included in the purchase price of parts.

Invoices

All invoices are due upon receipt. Any accounts with invoices open beyond 60 days are subject to review and may be placed on C.O.D. status without further notice.

Returns

Many unused Genesis parts may be returned with proper documentation. Return shipping is the responsibility of the purchaser. Credit will be issued upon return, less a 25% restocking fee. Documentation is required for credit of returned parts. Contact the Genesis Service Department at 715-395-5252 for an RGA (Return Goods Authorization) number and form. An RGA must accompany every return. Items shipped without an RGA may be returned to sender.

Warranty Returns

All parts returned to Genesis for warranty consideration must be returned with a completed RGA (Return Goods Authorization) provided by the Genesis Service Department. The form needs to be completed in its entirety, including any additional information requested by the Service Department. Return shipping is the responsibility of the sender and will be credited upon claim approval. A determination to accept or deny the claim will be made based upon the information available to Genesis. Warranty on purchased parts other than wear components is 6 months. Genesis does not cover labor costs to replace purchased parts replaced under warranty. There is no warranty period on wear parts or components.

© 2026 Genesis Attachments, LLC

GENESIS®
The Promise of Performance.

PARTS ORDER FORM

Customer: _____ Date: _____

Phone: _____ Contact: _____

Shipping Address: E-mail: _____

_____ Billing Address:

_____ _____

_____ _____

Purchase Order: _____ Shipping Method: _____

Model: _____ Serial Number: _____

Quantity	Part Number	Description	Price

E-mail to the Genesis Parts Department: genesisparts@genesisattachments.com
For assistance, call 715-395-3488

© 2026 Genesis Attachments, LLC

INDEX

2” Split Flange Kit 33
1102487 Mach Pin Keeper 17
1104048 Mach Thrust Washer 7, 9
1104049 Shim Set Thrust Washer 7, 9
1104075 Mach End Cap 7, 9
1104081 Mach Tie Rod Nut 7, 9
1104088 Mach Pin Keeper 17
1104962 Adaptor 12MB-12MO-90 25
1105854 Mach Shoulder Bolt 19
1106478 Shim Set, Auto Guide 15
1107152 Mach Valve Tray 33
1107158 Wldt Front Cylinder Pin 17
1107165 Mach Bearing Upper Cylinder 17
1107290 Mach Port Block 35
1107296 Hose 25
1107297 Hose 23
1107298 Hose 23
1107299 Hose 23
1107300 Hose 23
1107301 Hose 31
1107624 Mach Blade Tip Right 13
1107625 Mach Blade Tip Left 13
1107629 Mach Guide Blade 11
1107630 Mach Blade Razor 11
1107632 Wtmg Upper 5
1107657 Mach Bearing 7
1107658 Mach Bearing 9
1107660 Shim Set Guide Blade 11
1107698 Mach Pin Rear 17
1107699 Wtmg Stick 5
1107700 Mach Tie Rod 7
1107701 Hose 33
1107702 Hose 33
1107703 Hose 33
1107704 Wldt Cover 19
1107742 Mach Adj Plate Guide Blade 11
1107744 Mach Adj Plate Guide Blade 11
1107838 Plt Rear Cover 19
1107858 Shim Set Blade 11
1107860 Mach Adj Plate Primary 11
1107862 Mach Adj Plate Secondary 11
1107967 Mach Blade 11, 13
1108954 Mach Mounting Plate 25
1108958 Hose 25
1108959 Hose 25
5512411 Mach Grease Bulkhead Adaptor 31
5512419 Mach Slewing Ring Grease Adaptor 31
6200002 Grease Fitting 7, 9, 15, 17, 31
6300014 Diagnostic Nipple 06MB 27
6300017 Adaptor 08MB-08MO 23
6300061 Pilot to Close Check Valve 39
6300075 Plug Socket Head 02MB 39
6300076 Plug Socket Head 04MB 39
6300076 Plug Zero-Leak 04 35
6300078 Plug Socket Head 16MB 39
6300365 Diagnostic Nipple 39
6300406 Adaptor Run Tee 08MFS-08F0X-08MFS 23
6300441 Adaptor 12MB-12MO 25
6300582 Plug 04MP 29
6300623 Logic Valve 39
6300625 Pressure Reducing Valve 39
6300731 Adaptor 02MP-04MO 31
6300746 Adaptor 20MB-12FB 29
6300748 Manifold 29
6300749 Flow Control Valve 29
6300903 Plug Pipe Orifice 01MP 1/16-27 NPT 39
6301112 O-Ring 19
6301200 Shuttle Valve 39
6301211 Filter 29
6301223 Bearing Slewing 21
6301253 Cavity Plug 27
6310001 Diagnostic Nipple Dust Cap 27, 39
6310059 Adaptor 10MB-08MO 23
6310184 Adaptor Run Tee 12MFS-12MORB-12MFS 25
6310185 Adaptor Run Tee 12MFS-12MFS-12MFS BLKHD 23
6310186 Adaptor 12MFS-12MO BLKHD 29
6310188 Adaptor Run Tee 08MFS-10MORB-08MFS 23
6350111 Assembly Cylinder B20.0 R13.0 S63.0 33
6360024 Valve Regen 33, 39
6360027 Gearbox 21
6360045 Piston Motor 21
6360100 Counterbalance Valve Assembly 25
6360101 Relief Valve 27
6360144 Motor Manifold 27
6380002 Check Valve 27
6380011 Check Valve 39
Assembly Access Covers 5, 18, 19
Assembly Auto Guide 5, 14, 15
Assembly Cylinder Pins 5, 16, 17
Assembly Line Mount Manifold 5, 28, 29
Assembly Lower Blades 5, 10, 11
Assembly Open and Close Circuit 5, 32, 33
Assembly Pivot Group - Left Side 5, 8, 9
Assembly Pivot Group - Right Side 5, 6, 7
Assembly Port Block 5, 34, 35
Assembly Rotation - Grease System Plumbing 5, 30, 31
Assembly Rotation - Motor and Valve Drain Lines 5, 22, 23
Assembly Rotation - Motor Manifold 5, 26, 27
Assembly Rotation - Piston Motor 5, 20, 21
Assembly Rotation - Valve to Valve Plumbing 5, 24, 25
Assembly Swivel Manifold 5, 33, 36, 37
Assembly Swivel Manifold Configurations 40
Assembly Upper Blades 5, 12, 13
Bolt Drive Specifications 47
Bolt Torque Specifications 41, 45
Contact Information 2, 53
F0110070 Hex Head Capscrew M10 x 1.5 25
F0112030 Hex Head Capscrew M12 x 1.75 x 30 19

© 2026 Genesis Attachments, LLC

INDEX

F0116040 Hex Head Capscrew M16-2.0 x 40 33
F0116060 Hex Head Capscrew M16 x 2.00 x 60 35
F0120060 Hex Head Capscrew M20 x 2.5 x 60 21
F0120070 Hex Head Capscrew M20-2.5 x 70 33
F0120320 Hex Head Capscrew M20 x 2.5 x 320 37
F0210300 Hex Head Capscrew 1-8 x 3 11
F0210700 Hex Head Capscrew 1 - 8 x 7 15
F0213575 Hex Head Capscrew 1¼ - 7 x 5¾ 11
F0213700 Hex Head Capscrew 1¼ - 7 x 7 11
F0215800 Hex Head Capscrew 1½ - 6 x 8 21
F0250150 Hex Head Capscrew ½ - 13 x 1½ 21
F0412035 Flat Head Capscrew M12 x 1.75 x 35 7, 9
F0513700 Flat Head Capscrew 1¼ - 7 x 7 11
F0513800 Flat Head Capscrew 1¼ - 7 x 8 13
F0610025 Socket Head Capscrew M10 x 1.50 x 25 31
F0610035 Socket Head Capscrew M10 x 1.50 x 35 31
F0612050 Socket Head Capscrew M12 x 1.75 x 45 7, 9
F0616035 Socket Head Capscrew M16-2.0 x 35 33
F0616050 Socket Head Capscrew M16 x 2.00 x 50 7, 9
F0616170 Socket Head Capscrew M16 x 2.00 x 170 35
F0620130 Socket Head Capscrew M20 x 2.50 x 130 17
F0624080 Socket Head Capscrew M24 7, 9
F0624280 Socket Head Capscrew M24 x 3.00 x 280 17
F0712700 Socket Head Capscrew 1¼ - 7 x 7 13
F0744400 Socket Head Capscrew 7/16 - 14 x 4 27
F0824300 Hex Nut M24 x 3.00 17
F0912507 Hex Nut 1¼ - 7 11, 13
F1020250 Nylock Nut M20 x 2.50 17
F1201224 Flat Washer M12 7, 9, 19
F1201630 Flat Washer M16 7, 9, 33
F1202444 Flat Washer M24 7, 9
F1300100 Flat Washer 1” 11
F1300100 Flat Washer Narrow 1” 15
F1300125 Flat Washer 1¼” 11
F1300125 Flat Washer Narrow 1¼ 13
F1401628 Lock Washer M16 35
F1402000 Lock Washer M20 33
F1900040 Washer 10mm Steel 25
F1900050 Washer Nord-Lock ½ and M20 Steel 21
F1900063 Washer Nord-Lock ⅝ and M16 Steel 33
F1900075 Washer Nord-Lock ¾ and M20 Steel 21
F1900075 Wedge Lock Washer ¾ 37
F2510100 Set Screw Socket Head 1-8 x 1 11
F2803900 Hytorc Washer M39 21
F3616040 Socket Head Shoulder Screw M16-2.0 x 40 33
General Arrangement 4, 5
H0262150 Split Flange Half 1.50 Code 62 35
H0362150 Split Flange Plug 35
H0662200 Split Flange Half 2.00 Code 62 33
Line Mount Manifold 25
Mach Main Shaft 9
Motor Manifold 23, 25
O-Ring Boss & Flat Face O-Ring Torque Specifications 46
Parts Order Form 50
Parts Order Policy and Procedure 49
Piston Motor 23
Procedures 43, 44
Regen Block Sub-Assembly - 6360024 5, 38, 39
S0190219 O-Ring 21
S0190225 O-Ring 35
S0190228 O-Ring 33
S0190250 O-Ring 21
S0190357 O-Ring 7, 9
Seal Kit 6300622 39
Seal Kit 6300624 39
Seal Kit SK00023 39
Seal Kit SK00024 39
Seal Kit SK00189 39
Table of Contents 3
Thread Treatment Diagram 42
Torque Arm Kit 37
Warranty Claim Procedure 48
Wtmg Lug Upper Head 5

© 2026 Genesis Attachments, LLC

GENESIS®
The Promise of Performance.

CONTACT INFORMATION

Genesis Attachments

1000 Genesis Drive
Superior, WI 54880 USA

Toll Free: 888-SHEAR-IT
(888-743-2748)

Phone: 715.395.5252

E-mail:
info@genesisattachments.com

Europe/Africa/Middle East
Genesis GmbH

Teramostrasse 23
87700 Memmingen, Germany

Phone: +49 83 31 9 25 98 0
Fax: +49 83 31 9 25 98 80
genesis-europe.com

E-mail:
info@genesis-europe.com

Asia Pacific Representative Office

24 Upper Serangoon View #12-28
Singapore 534205

Phone: +65 9673 9730

E-mail:
tchoo@genesisattachments.com

Central America & Colombia

Cra 13A #89-38 / Ofi 613
Bogota, Colombia

Phone: +57 1 610 8160 / 795 8747

E-mail:
contact@themsagroup.com

View and download all manuals: genesisattachments.com/manuals
Patents: genesisattachments.com/products/patents

Rev. 10-28-26

An NPK Company