

# Concrete Processor (GCP)

## FEATURES

- 1 Power is derived from a protected large-bore cylinder, eliminating the need for an intensifier
- 2 One-piece bolt-on tooth bed and bottom wear pad protect parent material, are quick and easy to replace, and minimize build-up and hard-surfacing
- 3 Bolt-on rebar cutting blades and weld-in blade pockets are easy to replace and reduce maintenance
- 4 Large jaw opening readily pulverizes thick concrete
- 5 Heavy-duty pivot design with recessed end caps provides structural strength and long-term durability
- 6 Proprietary regeneration valve improves cycle time by up to 33% compared to standard hydraulic systems

## APPLICATIONS

- Concrete Recycling
- Demolition



## Metric Specs:

Model	Weight*	Jaw Opening	Jaw Depth	Jaw Width	Reach**	Minimum Excavator Wt.
	(kg)	(mm)	(mm)	(mm)	(mm)	Stick Mount (mt)
<b>GCP 410</b>	2,109	864	737	508	2,057	20
<b>GCP 410R</b>	3,016	864	737	508	2,362	25
<b>GCP 610</b>	4,695	1,245	1,016	762	2,642	34
<b>GCP 610R</b>	5,239	1,245	1,016	762	2,946	43

\*Weight includes mounting bracket to attach to excavator.

\*\*Distance is measured from the attachment mounting pivot (boom or stick) forward.

Genesis Concrete Processors are covered by a 12-month, 1,500-hour (whichever occurs first) warranty.

Genesis reserves the right to continually make product improvements designed to positively enhance performance.

Patents: [genesisattachments.com/products/patents](http://genesisattachments.com/products/patents)